




## Aquila 36S Specifications

|                                                                            |                      |
|----------------------------------------------------------------------------|----------------------|
| Length overall w/ swim platform excl. anchor roller                        | 10.96 M / 36' 0"     |
| Hull length                                                                | 9.94 M / 32' 7"      |
| Beam overall                                                               | 4.45 M / 14' 7"      |
| Length of waterline                                                        | 9.3 M / 30' 6"       |
| Height above waterline w/ hard top<br>(excludes electrics and electronics) | 3.05 M / 10' 0"      |
| Hull draft with outboards up                                               | 60 CM / 2' 0"        |
| Displacement dry                                                           | 6,700 KG / 14,770 LB |
| Fully loaded displacement                                                  | 8,800 KG / 19,400 LB |
| Cruiser package fully loaded displacement                                  | 9,200 KG / 20,280 LB |
| CE certification                                                           | B:8, C:18, D:26      |
| Sleeps (up to)                                                             | 6 (2 in salon)       |
| Max passengers                                                             | 26                   |
| Cabins                                                                     | 2                    |
| Heads                                                                      | 2                    |
| Showers                                                                    | 3                    |

## Tankage


|                               |                                    |
|-------------------------------|------------------------------------|
| Fuel tank (approx.)           | 2X 675 = 1350 L / 2X 178 = 356 GAL |
| Water tank standard (approx.) | 200 L / 52 GAL                     |
| Water tank max (optional)     | 485 L / 128 GAL                    |
| Holding tank (approx.)        | 2X 80 L / 2X 21 GAL                |

## Propulsion

|            |                                                                             |
|------------|-----------------------------------------------------------------------------|
| Standard   | 2X Black Mercury <del>Verado V6 225 HP</del>                                |
| Optional   | 2X White Mercury <del>Verado V8 300 HP with Joystick Piloting Control</del> |
| Propellers | Stainless steel                                                             |



MAIN DECK



CABIN

## Construction

|                                  |                                                        |
|----------------------------------|--------------------------------------------------------|
| Hull and deck material           | <b>InfusiCore vinyl ester resin infused throughout</b> |
| Bulkhead and reinforcing         | <b>InfusiCore vinyl ester resin infused throughout</b> |
| Core materials (vary in density) | <b>PVC</b>                                             |
| Gel coat of hull                 | <b>NPG</b>                                             |
| Bulkheads                        | <b>Water tight fore and aft</b>                        |

## Features

An exceptional performing and seaworthy hull shape providing first in class stability and fuel efficiency

Expansive areas for entertaining and social zones from bow to stern with a well appointed wet bar area with sink, refrigerator, storage and tilt out trash bin

The bow seating offers optional seating configurations of your choice to either have plenty of comfortable seating for up to 8 people or fold the seats down to create large sunbed.

FUSION multi-zone audio system with 6 x Fusion speakers & Bluetooth connectivity

Plenty of comfortable seating throughout for up to 26 people onboard

Expansive fiberglass hard top with two opening hatches providing protection from sun and weather

High quality living comforts within cabins and heads provide exceptional comfort for those longer voyages on board

Custom designed slide out stainless steel boarding ladder system providing easy access in and out of the water

## Interior Layout

Two (s) cabins with separated showers and fresh water electric flush toilets

Private lockable companionway hatch to each cabin

## Deck Layout

Comfortable forward cockpit seating that seats eight (8) - converts to two large sunbeds

Helm Station to starboard with comfortable seating for two (2)

Comfortable port side passenger seating for two (2)

Galley to starboard with Corian surface, fridge/freezer (85 L / 3.0 cu. ft.), storage, wash basin and AC power sockets

Settee seating with folding table to port

Insulated cooler and drain built into seating on port side

Convertible seating aft that converts to sunbed, faces forwards or aft

Forward facing seating at aft deck on port and starboard sides

Entire deck area is self draining towards aft with additional scuppers forward for drainage

Side boarding doors with heavy duty hardware located port and starboard sides

Stainless steel gate to large aft swim platform

Easy access to forward seating via an opening in windscreen and lower door

Anchor locker hatch with separate chain locker hatch

Forward storage lockers in each hull with easy access from under forward seats

Storage locker under floor in forward seating area with designated drainage

Storage lockers under all aft seating

Large aft hatches for access to equipment lockers

Custom stainless steel retractable swim ladder with teak steps located in large aft hatch in swim platform

Easy lift gas shocks for all large hatches

Integrated targa arch

Hard top with stainless steel supports and two opening hatches

All exterior upholstery designed by leading international company

All upper deck furniture in FRP elevated off the floor for ease of cleaning and drainage

## Hull and Deck Equipment

AIS316 stainless steel railings, handholds and hardware

Custom built PVC rub rail with stainless steel insert offering all around protection

Tempered glass windscreen with custom aluminum frame

Variable speed windscreen wiper with control mounted at helm

Anchor platform and roller in stainless steel

Electric windlass (12v-1000W) with handheld control

Polished stainless steel 35lb Anchor with rope (200ft), chain (15ft) and bridle attachment rigging

Ten (10) solid stainless steel thru-bolted pop up mooring cleats

Deck fill plates in stainless steel (1x fresh water; 2 x fuel; 2 x waste)

Emergency ladder

LED navigation lights (port, starboard, anchor and running light)

Port and starboard integrated side boarding gates with robust stainless steel hardware

Stainless steel ski tow eye

Black boot stripe in hull (Gelcoat)

Bow block off via door between companionways

LED courtesy lights

Four (4) LED drink holders for forward cockpit

Ten (10) drink holders between helm and aft deck area

Tow (2) shore power inlet supply plugs (30amp)

LED overhead lights in hardtop for settee and galley

Exterior seating upholstery finished in "Quartz" color combination (without diamond stitching)

Fusion multi-zone entertainment surround sound system with head unit and six (6) FUSION 6" speakers with Bluetooth connectivity

Two (2) fishing rod holders on port and starboard side aft quarter

## Helmsman Station

Comfortable, fully adjustable helm seat with individual flip up bolsters for two (2) passengers

Electronic engine double lever throttle and gearshift control

Mercury Joystick Piloting control

Mercury VesselView 4" display with Active Trim Control

Custom Aquila variable position steering wheel in stainless steel

Magnetic compass

Halon fire alarm for each fuel tank area

Mercury Verado power assist steering

Two (2) cup holders

Easy of use switch panel for common items

Horn control

USB and 12-volt outlet at helm and port side pilot seat

AC power sockets under seating

Stainless steel foot rest

## Cabins

V-double berth in cabin (comfortably sleeps 4; 2 in each cabin)  
 Memory foam mattresses with durable canvas covers  
 Wood furniture in plywood with light wood composite laminate and matching hard wood trim  
 Synthetic wear resistant flooring offering maintenance free natural look  
 Upholster side and ceiling panels  
 Storage shelves, lockers and drawers  
 Electric variable speed fan in each cabin  
 Designated microwave area with AC outlet  
 Blinds for all windows and hatches  
 LED overhead lights  
 LED reading light  
 AC power sockets  
 Carbon monoxide alarm  
 Deck hatch above bed for ventilation  
 Large hull windows bringing in plenty of natural light

## Heads

FRP head module with upholstered sides and storage lockers in composite laminate surface  
 Corian basin surface  
 Low maintenance FRP finish ceiling and inboard sides  
 Shower area with teak grate  
 Fresh water mixer faucet with pull out shower head  
 Mirror  
 Large window with pull down blinds  
 Shower curtain mounted on track  
 Electric fresh water flush toilet with macerator (holding tank located behind air tight bulkhead)  
 Stainless steel towel hanger above toilet  
 Large aft storage locker combined with hanging locker  
 Storage lockers on inboard side  
 LED overhead lights  
 Opening hull port light

## Electrical System

Master Control panel for 12-volt and shore power service  
 Helm station LED push button electrical panel  
 Remote battery master switches at panel  
 Engine parallel control remote switch  
 Two (2) dedicated engine start battery's each located in aft locker  
 Two (2) x 200Ah house batteries  
 Battery trays with mounts  
 Inverter/battery charger (12a/3000VA)  
 Volt meter and amp meter  
 Galvanic isolator system  
 Reverse polarity indicator  
 Multi-zone entertainment system master unit located at helm station  
 Two (2) shore power supply plug (30amp)

## Fuel System

Fully independent heavy gauge aluminum tanks with gauge at helm station (360 gal. / 1364 L.)  
 Manual fuel shut-off valves  
 Fuel tank vents  
 Natural ventilation of locker plus forced air ventilation controlled from dash board  
 Water and air tight bulkhead separating cabin/head area  
 Mercury fuel filters  
 Automatic fire suppression heat activated system with alarm monitor at helm station for fuel tank area

## Water and Bilge System

Fresh water tank (52 gal. / 200 L.)  
 Automatic 12-volt fresh water pump  
 Water heater (1 x 10.5 gal. / 40 L.) - only operable from shore power and/or optional generator  
 Transom pull out shower mixer  
 Faucet - wet bar  
 Pullout sprayer in each head  
 Four (4) automatic 12-volt bilge pumps

## Grey Water System

Automatic grey water pump connected to shower drain for direct overboard discharge

## Black Water System

Two (2) independent air tight black water tanks located aft of airtight bulk head (21 gal. / 80 L.)  
 Deck evacuation or electric direct overboard pump separately controlled

## Available Package Options:

### Aquila Hydro-Glide Foil System (AHG)

Enhances performance, consumption and handling by up to 40% gains in fuel efficiency and 25% gain in speed versus non-foiling boat. AHG only compatible with base engine package (2X 300 HP).



### Cruiser Package

Full-height tempered glass windshield, side windows and fixed aft 3-panel sliding door. Cockpit table upgraded to folding table with additional built-in storage drawers below table. Curtains covering aft and side windows; upgraded salon/galley wood and head liner details.



### Fishing Package

Starboard aft module with electric BBQ and 42L fridge/freezer. Central aft module including four (4) fishing rod holders, large fish box/cooler with salt water wash down. Port aft module consisting of live well tank. Aft platform deck including stainless steel fold down dive ladder with wrap around railing in lieu of standard ladder.

